

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"data to pilot ratio"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/25 14:36
L2	6	"data-to-pilot ratio"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/25 14:36
L3	0	2.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/25 14:36
L4	2851	spread\$3 near factor	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/25 14:37
L5	418	4.clm.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/25 14:37
L6	1	2 and 5	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/25 14:37
S76	6284	data same pilot same signal	US-PGPUB; USPAT	OR	OFF	2005/11/22 14:39
S77	737	broadcast same (quality near2 signal)	US-PGPUB; USPAT	OR	OFF	2005/02/06 14:40
S78	9	S76 same S77	US-PGPUB; USPAT	OR	OFF	2005/02/06 14:41
S80	3	S78 and threshold	US-PGPUB; USPAT	OR	OFF	2005/02/10 12:55
S81	2	S78 and wcdma	US-PGPUB; USPAT	OR	OFF	2005/02/06 14:44
S82	8	broadcast same (quality near2 indicator) same (ID identifier)	US-PGPUB; USPAT	OR	OFF	2005/02/10 13:05
S84	11	broadcast and ((quality near2 indicator) same (ID identifier))	US-PGPUB; USPAT	OR	OFF	2005/02/10 14:05
S85	25	message and ((quality near2 indicator) same (ID identifier))	US-PGPUB; USPAT	OR	OFF	2005/02/10 13:51
S91	2	((("20030156540") or ("20030157899")).PN.	US-PGPUB; USPAT	OR	OFF	2005/02/10 14:26
S92	9	((("5745837") or ("6104709") or ("6215766") or ("6233017") or ("6360076") or ("6473858") or ("6532562") or ("6553568") or ("6556659")).PN.	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:22

S93	179007	repeater\$3 or relay\$3	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:23
S94	1077745	repeat\$3 or relay\$3	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:39
S95	15308	call near2 (end or terminat\$3)	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:29
S96	517	S94 with S95	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:29
S97	137	S96 and "455"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:33
S98	2955	(call near2 (end or terminat\$3)) with message	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:29
S99	64	S94 with S98	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:40
S10 0	24	S99 and "455"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:34
S10 1	3407	(repeat\$3 or relay\$3) near2 send\$3	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:46
S10 2	9	S101 with S98	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:40
S10 3	1547	(relay\$3) near2 send\$3	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:46
S10 4	1945	(repeater relay\$3) near2 send\$3	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:47
S10 5	10	S104 same S98	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:54
S10 6	1	("20020132585").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/10 15:54
S10 7	1	("20020002444").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/11 14:13
S10 8	2	"10/164499"	US-PGPUB; USPAT	OR	OFF	2005/02/11 14:13
S11 0	1	"10/079338"	US-PGPUB; USPAT	OR	OFF	2005/02/16 09:42
S11 1	9	((("5745837") or ("6104709") or ("6215766") or ("6233017") or ("6360076") or ("6473858") or ("6532562") or ("6553568") or ("6556659")).PN.	US-PGPUB; USPAT	OR	OFF	2005/02/16 09:44
S11 2	0	(quality adj indicator) and S111	US-PGPUB; USPAT	OR	OFF	2005/02/16 09:45
S11 3	0	signal adj indicator and S111	US-PGPUB; USPAT	OR	OFF	2005/02/16 09:45
S11 4	0	indicator and S111	US-PGPUB; USPAT	OR	OFF	2005/02/16 09:45

S11 5	22323	(signal quality) near3 indicator	US-PGPUB; USPAT	OR	OFF	2005/02/16 09:47
S11 6	2113	quality near3 table	US-PGPUB; USPAT	OR	OFF	2005/02/16 09:48
S11 7	11	S115 same S116	US-PGPUB; USPAT	OR	OFF	2005/02/16 16:59
S11 8	11	(US-20050003782-\$ or US-20040249602-\$ or US-20040188397-\$ or US-20040034821-\$ or US-20030204283-\$ or US-20030202574-\$ or US-20030103477-\$ or US-20020027881-\$).did. or (US-6791949-\$ or US-6494940-\$ or US-5966186-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:01
S11 9	2	broadcast and S118	US-PGPUB; USPAT	OR	OFF	2005/02/16 15:35
S12 0	0	broadcast same message same (channel adj (ID identification)) same (quality adj indicat\$3)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:00
S12 1	62	broadcast same message same (channel adj (ID identification))	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:06
S12 2	11	(US-20050003782-\$ or US-20040249602-\$ or US-20040188397-\$ or US-20040034821-\$ or US-20030204283-\$ or US-20030202574-\$ or US-20030103477-\$ or US-20020027881-\$).did. or (US-6791949-\$ or US-6494940-\$ or US-5966186-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:01
S12 3	0	S121 and S122	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:02
S12 4	0	broadcast same message same (channel adj (ID identification)) same (quality near3 threshold)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:06
S12 5	0	broadcast same message same (channel adj (ID identification)) and (quality near3 threshold)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:07
S12 6	15	broadcast same message same (ID identification) and (quality near3 threshold)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:12
S12 7	0	broadcast same message same (quality near3 threshold)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:12
S12 8	311	broadcast same message same (threshold or (predetermined adj (value or level)))	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:13

S12 9	28	broadcast same message same (threshold or (predetermined adj (value or level))) same display\$3	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:21
S13 0	22	(message with channel) same (threshold or (predetermined adj (value or level))) same display\$3	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:22
S13 1	1922	walsh near3 code	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:22
S13 2	9	S128 and S131	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:24
S13 3	0	(message with (channel near2 ID)) same ((quality threshold predetermined S/N signal-to-noise-ratio) with signal)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:27
S13 4	1297367	quality or strength or ((S/N adj ratio) BER)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:28
S13 5	505486	threshold or (predetermined adj (value or level))	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:53
S13 6	2151	S134 same S135 same display\$3	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:30
S13 7	38	S136 same (ID identification)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:33
S13 8	158	(signal-to-noise near2 ratio) same pilot same (threshold quality)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:55
S13 9	0	(signal-to-noise near2 ratio) same pilot same (threshold quality) same (ID identification)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:34
S14 0	0	(signal-to-noise near2 ratio) same pilot same (threshold quality) same ID	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:34
S14 1	87	(signal-to-noise near2 ratio) same pilot same (threshold quality) same channel	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:34
S14 2	37	S141 and broadcast	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:34
S14 3	506948	threshold or (predetermined adj (value or level)) or (minimum near2 quality)	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:54
S14 4	11318	S143 near4 (sent send\$3 transmit\$3)	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:01
S14 5	545	(signal-to-noise near2 ratio) same pilot	US-PGPUB; USPAT	OR	OFF	2005/02/16 17:55
S14 6	37	S144 and S145	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:03
S14 7	507744	threshold or (predetermined adj (value or level)) or (minimum near2 quality)	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:35

S14 8	11594	S147 near4 (sent send\$3 transmit\$3 embed\$4)	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:38
S14 9	547	(signal-to-noise near2 ratio) same pilot	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:40
S15 0	37	S148 and S149	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:13
S15 1	16	message with embed\$4 with threshold	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:14
S15 2	531906	threshold or (predetermined adj (value or level)) or (minimum near2 quality) or (bit adj error adj rate) or (BER) or (frame adj error adj rate) or (packet adj error adj rate)	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:37
S15 3	1624514	threshold or (predetermined adj (value or level)) or (minimum near2 quality) or (bit adj error adj rate) or (BER) or (frame adj error adj rate) or (packet adj error adj rate) or (minimum adj acceptable dj value)	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:38
S15 4	58176	S153 near4 (sent send\$3 transmit\$3)	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:38
S15 5	725	((signal-to-noise) or S/N near2 ratio) same pilot	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:40
S15 6	147	S154 and S155	US-PGPUB; USPAT	OR	OFF	2005/02/17 09:41
S15 7	58	S156 and (broadcast or multicast)	US-PGPUB; USPAT	OR	OFF	2005/02/17 16:13
S15 8	23	(quality adj threshold) near4 (sent send\$3 transmit\$3)	US-PGPUB; USPAT	OR	OFF	2005/02/17 16:14
S15 9	2	S158 and (broadcast or multicast)	US-PGPUB; USPAT	OR	OFF	2005/02/17 16:14
S16 0	1	(data near2 pilot near2 ratio) same broadcast	US-PGPUB; USPAT	OR	OFF	2005/02/18 08:49
S16 1	2550	343/702.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/18 09:16
S16 2	1	"10/049533"	US-PGPUB; USPAT	OR	OFF	2005/02/18 10:16
S16 3	1	"10/213496"	US-PGPUB; USPAT	OR	OFF	2005/02/18 10:17
S16 4	1	("6834192").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:13
S16 5	47	bluetooth same adaptor	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:16
S16 6	1	bluetooth same adaptor same (request adj signal)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:15
S16 7	2	bluetooth same adaptor same request	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:15

S16 8	26	bluetooth same adaptor and request	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:19
S16 9	45	bluetooth same adaptor and (connect\$3 near3request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:19
S17 0	8	bluetooth same adaptor and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:32
S17 1	1	"10/049533"	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:23
S17 2	2	(bluetooth near3 adaptor) and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:33
S17 3	2	((bluetooth (blu adj tooth) (short adj range)) near3 adaptor) and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:33
S17 4	2	((bluetooth (blue adj tooth) (short adj range) blue-tooth) near3 adaptor) and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:34
S17 5	2	((bluetooth (blue adj tooth) (short adj range) blue-tooth IEEE) near3 adaptor) and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:35
S17 6	2	((bluetooth (blue adj tooth) (short adj range) blue-tooth IEEEWLAN) near3 adaptor) and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:35
S17 7	2	((bluetooth (blue adj tooth) (short adj range) blue-tooth WLAN) near5 adaptor) and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:35
S17 8	5	((bluetooth (blue adj tooth) (short adj range) blue-tooth WLAN) with adaptor) and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:36
S17 9	39	((bluetooth (blue adj tooth) (short adj range) blue-tooth WLAN) with adaptor)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:36
S18 0	26	((bluetooth (blue adj tooth) (short adj range) blue-tooth WLAN) near5 adaptor)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:37
S18 1	73	((bluetooth (blue adj tooth) (short adj range) blue-tooth WLAN) near5 (adaptor (interface adj module)))	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:38
S18 2	11	((bluetooth (blue adj tooth) (short adj range) blue-tooth WLAN) near5 (adaptor (interface adj module))) and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 11:56

S18 3	2	((bluetooth (blue adj tooth) (short adj range) blue-tooth WLAN) near5 (adaptor (plug-in (plug adj in) adj module))) and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 16:32
S18 4	3	(("20040259555") or ("20040047323") or ("20040142699")).PN.	US-PGPUB; USPAT	OR	OFF	2005/02/18 17:01
S18 5	10	adaptor near3 (bluetooth (blue adj tooth) blue-tooth)	US-PGPUB; USPAT	OR	OFF	2005/02/18 17:05
S18 6	312	card near3 (bluetooth (blue adj tooth) blue-tooth)	US-PGPUB; USPAT	OR	OFF	2005/02/18 17:06
S18 7	0	card near3 (bluetooth (blue adj tooth) blue-tooth) same (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 17:06
S18 8	23	(card near3 (bluetooth (blue adj tooth) blue-tooth)) and (connect\$3 near3 request)	US-PGPUB; USPAT	OR	OFF	2005/02/18 17:07
S18 9	5	"data-to-pilot ratio"	US-PGPUB; USPAT	OR	OFF	2005/11/22 14:40
S19 0	2565	spread\$4 near2 factor	US-PGPUB; USPAT	OR	OFF	2005/11/22 14:40
S19 1	1	S189 same S190	US-PGPUB; USPAT	OR	OFF	2005/11/22 14:40